TEST REPORT

Applicant	:	Jiaxing Whatz Games
Address	:	No 1010 Kanghe Road,Xiuzhou District,Jiaxing,Zhejiang,China
Sample description	:	Kronologic - Babylon 2500
Age requested on application form	:	12+
Labelled age grade	:	12+
Age grade applied in testing	:	6+
Lab recommended age grade	:	6+
Sample received date	:	23 - Jul - 2026
Turn around time	:	24 - Jul - 2026 to 31 - Jul - 2026
Revised date	:	04 - Aug - 2026

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

TEST REQUESTED	TEST METHOD/REGULATION	RESULT
Mechanical and Physical Properties	16 CFR part 1250, ASTM F963-23	Pass
Flammability of Toys	16 CFR part 1250, ASTM F963-23, Section 4.2	Pass
Heavy Metals	16 CFR part 1250, ASTM F963-23, Section 4.3.5	Pass
Total Lead Content in Substrate	Illinois Lead Poisoning Prevention Act (LPPA)	Pass
Total Lead Content In Paint and Other Similar Surface Coatings	Illinois Lead Poisoning Prevention Act (LPPA)	Pass
Phthalates Content	CPSC 16 CFR part 1307	Pass
Total Lead Content	US 16 CFR 1303	Pass
TPCH - Heavy Metal Content	EPA 3050B:1996, EPA 3051A:2007, EPA 3052:1996	Pass
Total Lead Content	US California Proposition 65	Pass
Phthalates Content	US California Proposition 65	Pass
Physical and Mechanical Hazards	CPSC Regulations	Pass
Flammability Test	16 CFR 1500.3(c)(6)(vi)	Pass
Phthalates Content	16 CFR part 1250, ASTM F963-23, Section 4.3.8	Pass
Phthalates Content	US CPSIA, Section 108	Pass
Total Lead Content in Substrate	US CPSIA, Section 101(15 U.S.C. § 1278a)	Pass
Total Lead Content in Paint / Surface Coating	US CPSIA, Section 101(15 U.S.C. § 1278a)	Pass

Remark:
This report cancels and supersedes report number EFHZ26075685-CG-01 issued on Jul 31, 2026 .
Modification description: Per client's request, remove item no. in the revised report.

Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Hangzhou) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. Unless otherwise stated from the customer, regulation or the standard specification, Eurofins will apply it in accordance with ILAC G8:09/2019-(binary statement for simple acceptance rule). If you happen to have any comments, please do it by sending email to info.hz@cpt.eurofinscn.com and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Hangzhou) Co., Ltd. If you happen to have any complaints, please do it by sending email to chinacomplaint.hz@cpt.eurofinscn.com and referring to this report number.

Eurofins（Hangzhou）contact information
Customer service: Stacey.Zhang@cpt.eurofinscn.com/ +86 571 87203730
Sales specialist: Bill.Wu@cpt.eurofinscn.com/ +86 13861797433

********** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) **********

Signed for and on behalf of
Eurofins Product Testing Service (Hangzhou) Co., Ltd

Sara Liu

Eurofins Product Testing Service (Hangzhou) Co., Ltd 检验检测专用章

Sara Liu
Quality Manager

SAMPLE PHOTO(S)



A

EFHZ26075685-CG-01+Rev1

TO BE CONTINUED

COMPONENT LIST

Component No.	Component	Sample No.
1	Transparent coating on wood	A
2	White paper with multicolor coating (instruction)	A
3	White paper card with multicolor coating (card)	A
4	White paper card with multicolor coating	A
5	Grey/white paperboard with multicolor coating	A
6	Multicolor printed paper with transparent plastic film (box)	A
7	Black pencil lead	A
8	Natural color wood excluding coating	A
9	Silver metal staple (on instruction)	A
10	Transparent soft plastic film (packaging)	A
11	Transparent soft plastic bag with adhesive (packaging)	A
12	White paper card with multicolor coating (box) (packaging)	A
13	White paper (packaging)	A

TO BE CONTINUED

TEST RESULT

Mechanical and Physical Properties

Test Request: As specified in Consumer Safety Specification ASTM F963-23
Test Sample: A

Section	Description	Result
4.1	Material Quality	P
4.3	Toxicology	
4.3.5	Heavy Elements	P
4.3.7	Stuffing Materials—Visual inspection performed on equipment or tool	N/A
4.3.8	Phthalates	P
4.5	Sound-Producing Toys	N/A
4.6	Small Objects	N/A
4.6.1	Toys that are intended for children under 36 months of age	N/A
4.6.2	Mouth-Actuated Toys	N/A
4.6.3	Toys that are intended for children over 36 months but less than 72 months	N/A
4.7	Accessible Edges	P
4.8	Projections	N/A
4.8.1	Bath Toy Projections	N/A
4.9	Accessible Points	P
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearances, and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (exclude section 4.25.9 Battery-powered ride-on toys and section 4.25.10 Toys contain secondary cells or secondary batteries)	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art material	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A

TO BE CONTINUED

TEST RESULT

Section	Description	Result
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chests	N/A
5	Labeling Requirements	P
5.1.2	Tracking label	P
5.2	Age Grading Labeling	P
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A
5.5	Crib and Playpen Toys	N/A
5.6	Mobiles	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges or Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons	N/A
5.12	Art Materials	N/A
5.13	Electric Toys	N/A
5.14	Battery-Operated Toys	N/A
5.14.1	Battery-Powered Ride-On Toys	N/A
5.14.2	Button or Coin Cell Batteries	N/A
5.15	Promotional Materials	P
5.16	Magnets	N/A
6	Instructional Literature	N/A
6.1	Definition and Description	N/A
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Battery Powered Ride-On Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery (ies)	N/A
7	Producer's Markings	P
7.1	Producer's or Distributor's Name and Address	P
7.2	Battery-Powered Ride-on Toys	N/A
7.3	Toy Chests	N/A

Remark:
P – Pass, NA – Not Applicable

TO BE CONTINUED

TEST RESULT

Flammability of Toys

Test Request: As specified in ASTM F963-23, Section 4.2, testing procedure for materials other than textiles (excluding paper) used in toys is contained in Annex A5.

Sample	Limit	Result
A	0.1 inch/second	P

Remark:
P – Pass

TO BE CONTINUED

TEST RESULT

Heavy Metals

ASTM F963-23- Heavy Elements – Total Lead in Paint and Similar Surface-Coating Material (Clause 4.3.5.1(1))
Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result				
				1	2	3	4	5
Total Lead in Paint	mg/kg	90	10	ND	ND	ND	ND	ND

ASTM F963-23- Heavy Elements – Total Lead in Substrate Material (Clause 4.3.5.2(2) (a))
Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result			
				6	7	8	9
Total Lead in Substrate	mg/kg	100	10	ND	ND	ND	ND

ASTM F963-23- Heavy Elements – Total Elements Content, Initial Screening for Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay(Clause 4.3.5.1(2) and 4.3.5.2(2)(b))
Test Method: ASTM International Standard ASTM F963-23, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result				
				1	2	3	4	5
Total Antimony	mg/kg	60	5	ND	ND	ND	ND	ND
Total Arsenic	mg/kg	25	5	ND	ND	ND	ND	ND
Total Barium	mg/kg	1000	10	ND	ND	ND	ND	145
Total Cadmium	mg/kg	75	5	ND	ND	ND	ND	ND
Total Chromium	mg/kg	60	5	ND	ND	ND	ND	9
Total Lead	mg/kg	90	10	ND	ND	ND	ND	ND
Total Mercury	mg/kg	60	5	ND	ND	ND	ND	ND
Total Selenium	mg/kg	500	10	ND	ND	ND	ND	ND

Tested Item(s)	Unit	Limit	MDL	Result			
				6	7	8	9
Total Antimony	mg/kg	60	5	ND	ND	ND	NA
Total Arsenic	mg/kg	25	5	ND	11	ND	NA
Total Barium	mg/kg	1000	10	ND	186	101	NA
Total Cadmium	mg/kg	75	5	ND	ND	ND	NA
Total Chromium	mg/kg	60	5	8	50	ND	NA
Total Lead	mg/kg	90	10	ND	ND	ND	ND
Total Mercury	mg/kg	60	5	ND	ND	ND	NA
Total Selenium	mg/kg	500	10	ND	ND	ND	NA

Remark:
mg/kg = milligram per kilogram
MDL = method detection limit
ND = Not detected, less than MDL
The analytical results were adjusted by subtracting analytical correction factor.
According to Section 8.3.1.3, if results of total eight elements are below soluble limits for each element as prescribed in the table, the material can be considered to conform to requirements of 4.3.5.1(2) or 4.3.5.2(2)(b), or both, without further testing.

TO BE CONTINUED

TEST RESULT

Total Lead Content in Substrate

Test Request: Total lead in substrate as specified in Illinois Lead Poisoning Prevention Act (LPPA).

Test Method: CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3
The sample was acid digested, and total lead content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				6	7	8	9
Total Lead(Pb)	mg/kg	40	10	ND	ND	ND	ND

Remark:
mg/kg = milligram per kilogram
MDL = method detection limit
ND = Not detected, less than MDL

Recommend warning which is acceptable per LPPA if below or equal to 90ppm for coating, 100 ppm for substrate. The warning statement shall contain at least the following: "WARNING: CONTAINS LEAD. MAY BE HARMFUL IF EATEN OR CHEWED. COMPLIES WITH FEDERAL STANDARDS".

TO BE CONTINUED

TEST RESULT

Total Lead Content In Paint and Other Similar Surface Coatings

Test Request: Total lead in paint/ similar surface coatings as specified in Illinois Lead Poisoning Prevention Act

Test Method: CPSC-CH-E1003-09.1
The sample was acid digested, and total lead content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				1	2	3	4
Total Lead (Pb)	mg/kg	40	10	ND	ND	ND	ND

Test Item(s)	Unit	Limit	MDL	Result
				5
Total Lead (Pb)	mg/kg	40	10	ND

Remark:
mg/kg = milligram per kilogram
MDL = method detection limit
ND = Not detected, less than MDL

Recommend warning which is acceptable per LPPA if below or equal to 90ppm for coating, 100 ppm for substrate. The warning statement shall contain at least the following: "WARNING: CONTAINS LEAD. MAY BE HARMFUL IF EATEN OR CHEWED. COMPLIES WITH FEDERAL STANDARDS".

TO BE CONTINUED

TEST RESULT

Phthalates Content

Test Request: Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates as specified in CPSC 16 CFR part 1307.

Test Method: CPSC-CH-C1001-09.4

Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					1	2	3	4
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND	ND
Di-n-pentyl phthalate (DPP)	131-18-0	%	0.1	0.005	ND	ND	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND	ND	ND
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND	ND

Test Item(s)	CAS No.	Unit	Limit	MDL	Result	
					5	6
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND
Di-n-pentyl phthalate (DPP)	131-18-0	%	0.1	0.005	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND

Remarks:
1 mg/kg = 1 ppm = 0.0001%
MDL = method detection limit
ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Total Lead Content

Test Request: Total lead content as specified in US 16 CFR 1303

Test Method: CPSC-CH-E1003-09.1
The sample was acid digested, and total lead content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				1	2	3	4
Total Lead (Pb)	mg/kg	90	10	ND	ND	ND	ND

Test Item(s)	Unit	Limit	MDL	Result
				5
Total Lead (Pb)	mg/kg	90	10	ND

Remark:
mg/kg = milligram per kilogram
MDL = method detection limit
ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

TPCH - Heavy Metal Content

Test Request: Total Lead, Cadmium, Mercury and Chromium VI content as specified in TPCH legislation

Test Method: EPA 3050B:1996, EPA 3051A:2007, EPA 3052:1996
Acid digestion/ microwave digestion method was used, analysis of total Lead, Cadmium, Mercury and Chromium was performed by ICP-OES. Chromium VI determination was performed by UV-Vis Spectrophotometer.

Test Item(s)	Unit	Limit	MDL	Result			
				10	11	12	13
Lead (Pb)	mg/kg	-	10	ND	ND	ND	ND
Cadmium (Cd)	mg/kg	-	5	ND	ND	ND	ND
Mercury (Hg)	mg/kg	-	5	ND	ND	ND	ND
Chromium (VI)	mg/kg	-	5	ND	ND	ND	ND
Total (Pb+Cd+Hg+Cr VI)	mg/kg	100	-	ND	ND	ND	ND

Remark:
mg/kg = milligram per kilogram
MDL = method detection limit
ND = Not detected, less than MDL
“- “ = Not Regulated

The TPCH legislation has been enacted by California, Connecticut, Florida, Georgia, Illinois, Iowa, Maine, Maryland, Minnesota, Missouri, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, Virginia, Washington and Wisconsin.

TO BE CONTINUED

TEST RESULT

Total Lead Content

Test Request: Total lead content as specified in US California Proposition 65

Test Method: EPA 3050B:1996, EPA 3051A:2007, EPA 3052:1996
Acid digestion/ microwave digestion method was used and total lead content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				1	2	3	4
Lead (Pb)	mg/kg	90	10	ND	ND	ND	ND

Test Item(s)	Unit	Limit	MDL	Result
				5
Lead (Pb)	mg/kg	90	10	ND

Test Item(s)	Unit	Limit	MDL	Result			
				6	7	8	9
Lead (Pb)	mg/kg	100	10	ND	ND	ND	ND

Remark:
The limit(s) was/were referred from various court cases. Compliance with the above stated limit(s) does not show compliance with Proposition 65 or a guarantee against possible legal action but provides a relative level of assurance against potential lawsuits.
mg/kg = milligram per kilogram
MDL = method detection limit
ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Phthalates Content

Test Request: Phthalates Content as specified in US California Proposition 65

Test Method: EPA 3550C:2007, EPA 8270E:2018, solvent extraction and quantification by GC-MS.

Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					1	2	3	4
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND	ND
Benzyl butyl phthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND	ND	ND
Diisononyl phthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND	ND
Diisodecyl phthalate (DIDP)	26761-40-0	%	0.1	0.005	ND	ND	ND	ND
Phthalic acid, bis-hexyl ester (DnHP)	84-75-3	%	0.1	0.005	ND	ND	ND	ND

Test Item(s)	CAS No.	Unit	Limit	MDL	Result	
					5	6
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND
Benzyl butyl phthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND
Diisononyl phthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND
Diisodecyl phthalate (DIDP)	26761-40-0	%	0.1	0.005	ND	ND
Phthalic acid, bis-hexyl ester (DnHP)	84-75-3	%	0.1	0.005	ND	ND

Remarks:

MDL = method detection limit
ND = Not detected, less than MDL
1 mg/kg = 1 ppm = 0.0001%
The limit(s) was/were referred from various court cases.
Compliance with the above stated limit(s) does not show compliance with Proposition 65 or a guarantee against possible legal action but provides a relative level of assurance against potential lawsuits.

TO BE CONTINUED

TEST RESULT

Physical and Mechanical Hazards

Test Request: The Mechanical Hazards Requirements of 16 CFR 1500, after Use and Abuse Tests.
Test Sample: A

Section	Description	Result
16 CFR 1500.47 &1500.86(a)(6)	Impulsive noise – Toy cap	N/A
16 CFR 1501	Small Parts	N/A
16 CFR 1500.48	Sharp Points	P
16 CFR 1500.49	Sharp Edges	N/A
16 CFR 1500.18(a)(17)	Small balls	N/A
16 CFR 1511	Pacifier	N/A
16 CFR 1510	Rattles	N/A

Remark:
The use and abuse tests conducted are:
As Received & Normal Use (1500.50)
Impact Test (1500. 53(b))
Torque Test (1500. 53(e))
Tension Test (1500. 53(f))
P – Pass, NA – Not Applicable

TO BE CONTINUED

TEST RESULT

Flammability Test

Test Request: As per U.S. code of federal regulations title 16 CFR 1500.3(c)(6)(vi) for flammable solid, tested by the method described in 16 CFR 1500.44.

Sample	Limit	Result
A	0.1 inch/second	IBE

Remark:
IBE=Ignite But Seif-Extinguished

TO BE CONTINUED

TEST RESULT

Phthalates Content

Test Request: ASTM F963-23- Phthalates Content in Toys (including pacifiers, rattles, and teethers) Material (Section 4.3.8)

Test Method: CPSC-CH-C1001-09.4

Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					1	2	3	4
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND	ND
Di-n-pentyl phthalate (DPP)	131-18-0	%	0.1	0.005	ND	ND	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND	ND	ND
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND	ND

Test Item(s)	CAS No.	Unit	Limit	MDL	Result	
					5	6
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND
Di-n-pentyl phthalate (DPP)	131-18-0	%	0.1	0.005	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND

Remarks:
1 mg/kg = 1 ppm = 0.0001%
MDL = method detection limit
ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Phthalates Content

Test Request: Phthalates Content as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 108

Test Method: CPSC-CH-C1001-09.4

Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					1	2	3	4
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND	ND	ND
Di-n-octylphthalate (DNOP)	117-84-0	%	0.1	0.005	ND	ND	ND	ND
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND	ND
Diisodecylphthalate (DIDP)	26761-40-0	%	0.1	0.005	ND	ND	ND	ND

Test Item(s)	CAS No.	Unit	Limit	MDL	Result	
					5	6
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND
Di-n-octylphthalate (DNOP)	117-84-0	%	0.1	0.005	ND	ND
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND
Diisodecylphthalate (DIDP)	26761-40-0	%	0.1	0.005	ND	ND

Remarks:

1 mg/kg = 1 ppm = 0.0001%

MDL = method detection limit

ND = Not detected, less than MDL

For toys and childcare articles：DBP, BBP, DEHP

Additional requirements for toys and childcare articles, which can be placed in the mouth by children: DNOP, DINP, DIDP

TO BE CONTINUED

TEST RESULT

Total Lead Content in Substrate

Test Request: Total lead in substrate as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101(15 U.S.C. § 1278a)

Test Method: CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3
The sample was acid digested, and total lead content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				6	7	8	9
Total Lead(Pb)	mg/kg	100	10	ND	ND	ND	ND

Remark:
mg/kg = milligram per kilogram
MDL = method detection limit
ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Total Lead Content in Paint / Surface Coating

Test Request: Total lead in paint/ similar surface coatings as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101(15 U.S.C. § 1278a)

Test Method: CPSC-CH-E1003-09.1
The sample was acid digested, and total lead content was determined by ICP-OES.

Test Item(s)	Unit	Limit	MDL	Result			
				1	2	3	4
Total Lead (Pb)	mg/kg	90	10	ND	ND	ND	ND

Test Item(s)	Unit	Limit	MDL	Result
				5
Total Lead (Pb)	mg/kg	90	10	ND

Remark:
mg/kg = milligram per kilogram
MDL = method detection limit
ND = Not detected, less than MDL

END OF THE REPORT